

09/21/936

OS

## EAST Search History

| Ref # | Hits     | Search Query  | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|----------|---|--|------------------|---------|------------------|
| S2    | 30       | cisco.as. and address adj registration                              | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2007/10/31 13:31 |
| S3    | 21559554 | @ad<"20010802" or @rlad<"20010802"                                  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2007/11/01 07:35 |
| S22   | 20457702 | @ad<"20001206" or @rlad<"20001206"                                  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2007/11/01 07:36 |
| S23   | 14753    | S22 and network adj management                                      | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2007/10/31 16:04 |
| S24   | 394      | S23 and topology with (map or mapping or mapped)                    | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2007/10/31 16:04 |
| S25   | 227      | S24 and router and switch   | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2007/10/31 16:05 |
| S26   | 4        | S25 and (lmi or elmi or ilmi or local adj management adj interface) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2007/10/31 16:44 |

## EAST Search History

|     |     |   |  |    |    |                  |
|-----|-----|---|--|----|----|------------------|
| S27 | 104 | S22 and (lan or local adj area adj network) near3 management adj system         | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/31 16:47 |
| S28 | 1   | S27 and (wan or wide adj area adj network) near3 management adj system          | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/31 16:45 |
| S29 | 41  | S22 and (lan or local adj area adj network) adj management adj system           | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/31 16:58 |
| S30 | 9   | S29 and router  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/31 16:48 |
| S31 | 4   | S22 and (wan or wide adj area adj network) adj management adj system            | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/31 17:00 |
| S32 | 1   | S22 and (wan or wide adj area adj network) adj management adj system and switch | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/31 17:01 |
| S33 | 442 | S22 and network adj management adj system with switch                           | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/31 17:03 |

## EAST Search History

|     |          |   |  |    |    |                  |
|-----|----------|---|--|----|----|------------------|
| S34 | 6        | S33 and address adj registration                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 07:34 |
| S35 | 352      | elmi or enhanced adj local adj management adj interface | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 07:39 |
| S37 | 21588268 | @ad<"20010802" or<br>@rlad<"20010802"                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 07:35 |
| S38 | 205      | S37 and S35   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 07:35 |
| S39 | 20457849 | @ad<"20001206" or<br>@rlad<"20001206"                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 07:36 |
| S40 | 198      | S39 and S35   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 07:38 |
| S41 | 31       | elmi-\$.\$in.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 07:36 |

## EAST Search History

|     |     |  |  |    |    |                  |
|-----|-----|--|--|----|----|------------------|
| S42 | 179 | S40 not S41  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 07:38 |
| S43 | 9   | S42 and ("370" or "455" or "709").<br>clas.        | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 07:38 |
| S44 | 0   | enhanced adj local adj management<br>adj interface | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 08:00 |
| S45 | 226 | local adj management adj interface                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 08:01 |
| S46 | 157 | S45 and S37  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 08:01 |
| S47 | 152 | S45 and S39  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 09:59 |
| S48 | 74  | S46 and router and switch                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 08:02 |

## EAST Search History

|     |    |   |  |    |    |                  |
|-----|----|---|--|----|----|------------------|
| S49 | 71 | S47 and router and switch   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 08:40 |
| S50 | 12 | ("20020055988"   "5742668"  <br>"5781532"   "5850391"   "5901352"<br>  "5949773"   "6148337"  <br>"6286049"   "6426944"   "6438612"<br>  "6587433"   "6798785").PN. OR<br>("7263106").URPN.   | US-PGPUB;<br>USPAT;<br>USOCR   | OR | ON | 2007/11/01 08:21 |
| S51 | 18 | S49 and address adj registration  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 08:41 |
| S52 | 18 | ("5761192"   "5796736"   "5831975"<br>  "5831982"   "5854899"  <br>"5872773"   "5963555"   "6002674"<br>  "6028863"   "6078586"  <br>"6111881"   "6141322"   "6212164"<br>  "6487168"   "6552999"  <br>"6563811"   "6577607"  <br>"6724756").PN. OR ("6952400").<br>URPN. | US-PGPUB;<br>USPAT;<br>USOCR   | OR | ON | 2007/11/01 08:45 |
| S53 | 47 | ("5400325"   "5408469"  <br>"5436898").PN. OR ("5796736").<br>URPN.   | US-PGPUB;<br>USPAT;<br>USOCR   | OR | ON | 2007/11/01 09:01 |
| S54 | 89 | S39 and network near2 topology<br>near2 discovery   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 10:04 |
| S55 | 54 | S54 and switch and router   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/11/01 10:04 |

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

09/21, 936 OS

[Sign in](#)[Google](#)

enhanced local management interface

[Search](#)[Advanced Search Preferences](#)

Web Results 1 - 10 of about 6,430,000 for enhanced local management interface. (0.21 seconds)

Cisco IOS Quality of Service Solutions Configuration Guide ...

Enabling Enhanced Local Management Interface (Optional) ..... Figure 10

Enhanced Local Management Interface—Sent Between the Cisco Switch and the Cisco ...

✓ www.cisco.com/en/US/docs/ios/12\_1/qos/configuration/guide/qcdfrts.html - 86k -  
[Cached](#) - [Similar pages](#)

Enhanced ATM Port Adapter (ATM PA-A3) [Cisco Port Adapters ...]

1-port ATM OC-3c/ST-1 multimode port adapter, enhanced .... ATM Forum Interim

Local Management Interface (LMI) for address prefix acquisition and ATM ...

www.cisco.com/en/US/products/hw/modules/

ps2033/products\_data\_sheet09186a0080091d75.html - 120k - [Cached](#) - [Similar pages](#)

[ More results from [www.cisco.com](http://www.cisco.com) ]

O'Reilly - Safari Books Online - 1587051168 - Cisco Frame Relay ...

Download "Frame Relay Enhanced Local Management Interface (ELMI)" Frame

✓ Relay Enhanced Local Management Interface (ELMI) ...

safari.oreilly.com/1587051168/ch13 - [Similar pages](#)

Cisco Feature Navigator - Cisco Systems

✓ Enhanced Local Management Interface (ELMI), ELMI enables automated exchange of Frame Relay QoS parameter information between the Cisco router and the Cisco ... tools.cisco.com/ITDIT/CFN/Dispatch?act=featdesc&task=display&featureId=197 - 13k - [Cached](#) - [Similar pages](#)

[PDF] SonicOS Enhanced 3.8 TZ 180/180W Release Notes

File Format: PDF/Adobe Acrobat - [View as HTML](#)

✓ the LAN interface or the WAN interface is configured for management access, except when upgrading. from SonicOS Standard to SonicOS Enhanced. ...

sonicwall.com/downloads/SonicOS\_Enhanced\_3.8\_TZ\_180\_Release\_Notes.pdf -  
[Similar pages](#)

Enomalism : XEN Virtualized Server Management Console: Home

Enhanced Disk Management. • Resize volume groups (VG) online by ... tool kit for the management and migration of virtual images between your local enomalism ... www.enomalism.com/ - 43k - [Cached](#) - [Similar pages](#)

Intelligent Platform Management Interface - Wikipedia, the free ...

The Intelligent Platform Management Interface (IPMI) specification defines ... IPMI can also function when the OS has started, and offers enhanced features ... en.wikipedia.org/wiki/Intelligent\_Platform\_Management\_Interface - 21k -  
[Cached](#) - [Similar pages](#)

[PDF] An Enhanced Socket Interface for Next Generation Systems

File Format: PDF/Adobe Acrobat - [View as HTML](#)

efficiently an enhanced socket interface (ESI) is proposed. Also, with the help of a

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

09/21/936 OS

[Sign in](#)[Google](#)

elmi cisco

[Search](#)[Advanced Search Preferences](#)[Web](#)Results 1 - 10 of about 17,000 for elmi cisco. (0.14 seconds)

### Frame Relay ELMI Address Registration

The Cisco Frame Relay MIB has been enhanced to support the new **ELMI** information. The NMS uses the MIB to extract the IP address and ifIndex of devices ...  
[www.cisco.com/univercd/cc/td/doc/product/software/ios121/121newft/121t/121t3/dtfripar.htm](http://www.cisco.com/univercd/cc/td/doc/product/software/ios121/121newft/121t/121t3/dtfripar.htm) - 47k - [Cached](#) - [Similar pages](#)

✓ IGX 8400: The Foundation of Next Generation Wide-Area Networks ...

An Enhanced Local Management Interface (**ELMI**) also enables automatic Frame Relay traffic shaping parameter configuration on **Cisco** routers, saving time, ...  
[www.cisco.com/en/US/products/hw/switches/ps988/prod\\_brochure09186a00800922ea.html](http://www.cisco.com/en/US/products/hw/switches/ps988/prod_brochure09186a00800922ea.html) - 42k - [Cached](#) - [Similar pages](#)

[ [More results from www.cisco.com](#) ]

✓ Cisco Feature Navigator - Cisco Systems

Enhanced Local Management Interface (**ELMI**), **ELMI** enables automated exchange of Frame Relay QoS parameter information between the **Cisco** router and the **Cisco** ...  
[tools.cisco.com/ITDIT/CFN/Dispatch?act=featdesc&task=display&featureId=197](http://tools.cisco.com/ITDIT/CFN/Dispatch?act=featdesc&task=display&featureId=197) - 13k - [Cached](#) - [Similar pages](#)

✓ Cisco Feature Navigator - Cisco Systems

Frame Relay **ELMI** Address Registration, Address Registration for Neighbor discovery over FR interfaces ... 1992-2004 **Cisco** Systems, Inc. All rights reserved. ...  
[tools.cisco.com/ITDIT/CFN/Dispatch?act=featdesc&task=display&featureId=528](http://tools.cisco.com/ITDIT/CFN/Dispatch?act=featdesc&task=display&featureId=528) - 13k - [Cached](#) - [Similar pages](#)  
[ [More results from tools.cisco.com](#) ]

✓ Frame Relay Commands (class through frame-relay de-list)

Configures the IP address to be used for **ELMI** address registration. **frame-relay qos-autosense**. Enables **ELMI** on the **Cisco** router. ...  
[cio.cisco.com/univercd/cc/td/doc/product/software/ios122/122cgcr/fwan\\_r/frcmds/wrffr1.htm](http://cio.cisco.com/univercd/cc/td/doc/product/software/ios122/122cgcr/fwan_r/frcmds/wrffr1.htm) - 139k - [Cached](#) - [Similar pages](#)

[\[PDF\]](#) Numerics A

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
configuring, 360–366. inability to obtain, 356. **ELMI** (**Cisco** Frame Relay Enhanced LMI). CH01.book Page 651 Tuesday, February 17, 2004 8:05 AM ...  
[www.ciscopress.com/content/images/1587051168/index/1587051168index.pdf](http://www.ciscopress.com/content/images/1587051168/index/1587051168index.pdf) - [Similar pages](#)

O'Reilly - Safari Books Online - 1587051168 - Cisco Frame Relay ...

This section also introduces the related **Cisco** IOS show and debug commands for monitoring and maintaining Frame Relay **ELMI** configurations on a **Cisco** router. ...  
[safari.oreilly.com/1587051168/ch13lev1sec3](http://safari.oreilly.com/1587051168/ch13lev1sec3) - [Similar pages](#)

O'Reilly - Safari Books Online - 1587051168 - Cisco Frame Relay ...



09/21/936 OS

Worldwide [change]

L

Solutions

Products & Services

Ordering

Support

Training & Events

## Search

All Cisco.com Products & Services Support

Powered by Google™

Search

Worldwide Site only (or choose a country's homepage)

[Advanced Options](#) | [Help](#)

Search for: elmi

Results for: elmi

Within: "All Cisco.com"

[Log in to see entitled results.](#)  
[\(About Entitlement\)](#)

1 - 20 of about 314 results

[Next >](#)

### Frame Relay ELMI Address Registration [Cisco IOS Software Releases 12.1 T]

... Cisco IOS Software Releases 12.1 T. Frame Relay ELMI Address Registration. Downloads.

Frame Relay ELMI Address Registration. ... Frame Relay ELMI Address Registration ...

08 Sep 2002 | /en/US/products/sw/iosswrel/ps1834/products\_feature\_guide09186a00800801c1.html

• !

• !

### Cisco IOS Wide-Area Networking Command Reference, Release 12.4 - Wide-Area Networking Commands: frame-relay adaptive-shaping through frame-relay lapf t203 [Cisco IOS Software Releases 12.4 Mainline]

... To enable a router to automatically select a management IP address for Enhanced

Local Management Interface (ELMI) address registration, use the frame-relay ...

09 Jan 2007 | /en/US/products/ps6350/products\_command\_reference\_chapter09186a00804474e7.html

• !

• !

• !

• !

### Cisco IOS Wide-Area Networking Command Reference, Release 12.4T - Wide-Area Networking Commands: frame-relay adaptive-shaping through frame-relay lapf t203 [Cisco IOS Software Releases 12.4 T]

... To enable a router to automatically select a management IP address for Enhanced

Local Management Interface (ELMI) address registration, use the frame-relay ...

02 Jul 2007 | /en/US/products/sw/ios441/products\_command\_reference\_chapter09186a00804a9b5f.html

> Find

### Cisco IOS Wide-Area Networking Command Reference, Release 12.3 T - Wide-Area Networking Commands: frame-relay adaptive-shaping through frame-relay lmi-type [Cisco IOS Software Releases 12.3 T]

... To enable a router to automatically select a management IP address for Enhanced

Local Management Interface (ELMI) address registration, use the frame-relay ...

09 Jan 2007 | /en/US/products/sw/iosswrel/ps5207/products\_command\_reference\_chapter09186a00801a7f4b.html

• !

• !

• !

• !

### Cisco IOS Wide-Area Networking Command Reference, Release 12.2 SR - Wide-Area Networking Commands: frame-relay accounting adjust through frame-relay local-dlci [Cisco IOS Software Releases 12.2 SR]

... To enable a router to automatically select a management IP address for Enhanced

Local Management Interface (ELMI) address registration, use the frame-relay ...

01 Mar 2007 | /en/US/products/ps6922/products\_command\_reference\_chapter09186a00806c1023.html

• !

• !

• !

• !

### Cisco IOS Wide-Area Networking Command Reference, Release 12.2SX - Wide-Area Networking Commands: frame-relay accounting adjust through frame-relay lapf n200 [Cisco IOS Software Releases 12.2 SX]

... To enable a router to automatically select a management IP address for Enhanced

Local Management Interface (ELMI) address registration, use the frame-relay ...

21 Aug 2007 | /en/US/products/ps6017/products\_command\_reference\_chapter09186a0080878e7a.html

• !

• !

• !

• !

### Cisco IOS Wide-Area Networking Command Reference, Release 12.3 - Wide-Area Networking Commands: forward through frame-relay lmi-type [Cisco IOS Software Releases 12.3 Mainline]

... To enable a router to automatically select a management IP address for Enhanced

Local Management Interface (ELMI) address registration, use the frame-relay ...

03 Nov 2007 | /en/US/docs/ios/12\_3/wan/command/reference/wan\_f1g.html

• !

• !

• !

• !

### Ethernet Local Management Interface

... Ethernet LMI events debugging is on. Ethernet LMI packets hex debugging is on.

00:29:32: ELMI Et0/0 EVENT: ce\_event: State 0x0, Event 0x4. ...

01 Mar 2007 | /en/US/products/ps6441/products\_feature\_guide09186a0080690f2d.html

• !

• !

• !

• !

### Cisco IOS Carrier Ethernet Configuration Guide, Release 12.4T - Ethernet Local Management Interface [Cisco IOS Software Releases 12.4 T]

... Ethernet LMI events debugging is on. Ethernet LMI packets hex debugging is on.

00:29:32: ELMI Et0/0 EVENT: ce\_event: State 0x0, Event 0x4. ...

19 Jul 2007 | /en/US/products/ps6441/products\_configuration\_guide\_chapter09186a008082d7d8.html

• !

• !

• !

• !

09/21, 936 05

[Web](#) | [Images](#) | [Video](#) | [Local](#) | [Shopping](#) | [more](#)

"elmí protocol"

[Options](#)

1-10 of 50 for " elmí protocol " ([About](#)) - 0.02 sec

1. [Configuring Frame Relay](#)

Enabling Frame Relay Encapsulation on an Interface. Configuring Dynamic or ...

among Cisco switches and routers in a network using the **ELMI protocol** ...

[cisco.com/univercd/cc/.../software/ios122/122cgcr/fwan\\_c/wcffrely.htm](http://cisco.com/univercd/cc/.../software/ios122/122cgcr/fwan_c/wcffrely.htm) - 402k -  
[Cached](#)

2. [Cisco IOS Wide-Area Networking Configuration Guide, Release 12.4](#)

Adaptive Frame Relay Traffic Shaping for Interface Congestion. Frame Relay 64 ...  
among Cisco switches and routers in a network using the **ELMI protocol** ...

[cisco.com/en/US/products/ps6350/products\\_configuration\\_guide\\_chapte...](http://cisco.com/en/US/products/ps6350/products_configuration_guide_chapte...) - 410k -  
[Cached](#)

3. [Vendors push Ethernet OAM as standards mature](#)

To help carriers offer stringent quality of service and strict service level agreements  
for Ethernet service, ... Forum's **ELMI protocol** for automatic ...

[telephonyonline.com/ethernet/news/vendors\\_ethernet\\_oam\\_092506](http://telephonyonline.com/ethernet/news/vendors_ethernet_oam_092506) - 95k -  
[Cached](#)

4. [Cisco SNMP Object Navigator](#)

... only if the device supports **ELMI protocol** and if LMI is enabled on ... Link

Management Interface(**ELMI**) protocol is enabled or not on a frame relay ...

[tools.cisco.com/Support/SNMP/do/BrowseMIB.do?local=en&step=2&...](http://tools.cisco.com/Support/SNMP/do/BrowseMIB.do?local=en&step=2&...) - 181k -  
[Cached](#)

5. [Cisco SNMP Object Navigator](#)

... only if the device supports **ELMI protocol** and if LMI is enabled on ... Enhanced  
Link Management Interface(**ELMI**) protocol is enabled or not on a frame ...

[tools.cisco.com/Support/SNMP/do/BrowseMIB.do?local=en&...](http://tools.cisco.com/Support/SNMP/do/BrowseMIB.do?local=en&...) - 240k - [Cached](#)

6. [Update to the Cisco WAN Switch Command Reference Guide](#)

Feature Mismatching to Verify VSI Support. Resource Partitioning ... The **ELMI**

protocol enhancements for the UFM serves the same purpose as the ILMI ...

[pluscom.ru/cisco\\_product/.../wanbu/bpx8600/9\\_3\\_1/update/udcmdref.htm](http://pluscom.ru/cisco_product/.../wanbu/bpx8600/9_3_1/update/udcmdref.htm) - 525k -  
[Cached](#)

7. [New Feature Descriptions](#)

AutoInstall Using DHCP for LAN Interfaces (CSCdr88175) Baseline Privacy Interface

MIB ... CEF Support for IP Routing Between IEEE 802.1Q VLANs ...

[noc.caravan.ru/ciscocd/cc/td/.../ios122/122relnt/xprn122/122newf.htm](http://noc.caravan.ru/ciscocd/cc/td/.../ios122/122relnt/xprn122/122newf.htm) - 392k

8. [source.altinity.org/source/mibs/CISCO-FRAME-RELAY-MIB-V1SMI.my](#)

... is accessible only if the **ELMI protocol** is supported on the device" ... whether

Enhanced Link Management Interface(**ELMI**) protocol is enabled or not on a ...

[source.altinity.org/source/mibs/CISCO-FRAME-RELAY-MIB-V1SMI.my](http://source.altinity.org/source/mibs/CISCO-FRAME-RELAY-MIB-V1SMI.my) - 64k

9. [Release Notes for Cisco WAN Manager 10.4.10 Patch 4.0 for Solaris](#)

7

Table Of Contents. Release Notes for Cisco WAN Manager 10.4.10 ... New Features  
and Enhancements in CWM Release ... Procedure to Change the SNMP ...

[pluscom.ru/cisco\\_product/cc/td/doc/product/.../10/notes/10410p4.htm](http://pluscom.ru/cisco_product/cc/td/doc/product/.../10/notes/10410p4.htm) - 524k

10. [Exam: 642-642 Title : Quality of Service \(QOS\) Ver : 08.10.04 \(PDF\)](#)

The total number of questions is 261. ... the switch over the **ELMI protocol**. Source:  
Cisco IP QoS Traffic Shaping and Policing, Page 4-58 ...

[net130.com/attestation/bible/ccip/other/ActualTest/...](http://net130.com/attestation/bible/ccip/other/ActualTest/...) - 3830k

Web Images Video News Maps Gmail more ▾

09/21/936 OS

[Sign in](#)

Google

"ilmi specification"

[Search](#)

[Advanced Search Preferences](#)

Web

Results 1 - 10 of about 547 for "ilmi **specification**" . (0.18 seconds)

**Integrated Local Management Interface (ILMI) Specification Version ...**

Syntax Notation One ASN. ASN. defined by the Structure of Management Information  
SMI SMI In particular, each object has a name, a syntax, and an encoding.  
[citeseer.ist.psu.edu/229963.html](http://citeseer.ist.psu.edu/229963.html) - 22k - [Cached](#) - [Similar pages](#)

**ATM Traffic Management Specification Version - Forum (ResearchIndex)**

ATM Integrated Local Management Interface (ILMI) Specification Version 4.0. ATM  
Forum Technical Committee, September 1996. ...  
[citeseer.ist.psu.edu/article/forum96atm.html](http://citeseer.ist.psu.edu/article/forum96atm.html) - 18k - [Cached](#) - [Similar pages](#)

**[PDF] Integrated Local Management Interface (ILMI) Specification Version 4.0**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

ILMI Specification Version 4.0. Page ii. ATM Forum Technical Committee ..... ILMI  
Specification that is supported on this ATM Interface. ...  
[www.ipmplsforum.org/ftp/pub/approved-specs/af-ilmi-0065.000.pdf](http://www.ipmplsforum.org/ftp/pub/approved-specs/af-ilmi-0065.000.pdf) - [Similar pages](#)

**RFC 2601 (rfc2601) - ILMI-Based Server Discovery for ATMARP**

The ILMI specification designates the switch side of the ATM link as the 'network  
side' and the host/router side of the ATM link as the 'user side. ...  
[www.faqs.org/rfcs/rfc2601.html](http://www.faqs.org/rfcs/rfc2601.html) - 14k - [Cached](#) - [Similar pages](#)

**[PDF] Network Working Group M. Davison**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The ILMI specification designates the switch side of the ATM link as ... Forum in  
ILMI Specification Version 4.0 [2]. To support the existing ...  
[faqs.org/ftp/rfc/pdf/rfc2603.txt.pdf](http://faqs.org/ftp/rfc/pdf/rfc2603.txt.pdf) - [Similar pages](#)  
[ More results from faqs.org ]

**Implementation of ILMI over SNMPv1 - Communication Technology ...**

As described in ILMI specification, one VCC is used for sending AALS- ... According  
to the ILMI specification version 4.0, the ILMI procedures can be ...  
[ieeexplore.ieee.org/iel4/5969/15976/  
00741277.pdf?tp=&arnumber=741277&isnumber=15976](http://ieeexplore.ieee.org/iel4/5969/15976/00741277.pdf?tp=&arnumber=741277&isnumber=15976) - [Similar pages](#)

**Internet-Draft Mike Davison Cisco Systems May 15, 1998 ILMI-Based ...**

ILMI 4.0 Service Registry MIB Server discovery utilizes the Service Registry MIB  
defined by the ATM Forum in ILMI Specification Version 4.0 [2]. ...  
[www3.ietf.org/proceedings/98aug/I-D/draft-ietf-ion-discov-mars-01.txt](http://www3.ietf.org/proceedings/98aug/I-D/draft-ietf-ion-discov-mars-01.txt) - 11k -  
[Cached](#) - [Similar pages](#)

**[PDF] TRIAL DISCLOSURE OF ASYNCHRONOUS TRANSFER MODE (ATM) USER-TO ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

2.4 Interim Local Management Interface (ILMI) Specification. 6. Appendix A. 7.  
References. 7. Appendix B. 8. List of Terms and Acronyms ...  
[about.telus.com/publicpolicy/pdf/id-0018.pdf](http://about.telus.com/publicpolicy/pdf/id-0018.pdf) - [Similar pages](#)

09/21, 936 05

[Sign in](#)

Web Images Video News Maps Gmail more ▾

Google

"enhanced local management interface" -cisco [Search](#) Advanced Search Preferences

Web Results 1 - 10 of about 39 for "enhanced local management interface" -cisco. (0.42 seconds)

[PDF] [GLOSARIO SIGLAS](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

✓ **Enhanced Local Management Interface.** EOM.....End of Message.

EOT.....End of Transmission. EPD..... Early Packet Discard ...  
[globaldatainternational.com/whitepaper/Siglas.pdf](http://globaldatainternational.com/whitepaper/Siglas.pdf) - [Similar pages](#)

[Total Telecom](#)

✓ **ELMIEnhanced Local Management Interface.** EMA1. Enterprise Management Architecture Digital Equipment Corporation network management architecture, ...  
[www.totaltele.com/Glossary.aspx?Alpha=E](http://www.totaltele.com/Glossary.aspx?Alpha=E) - [Similar pages](#)

[TermE](#)

**Enhanced Local Management Interface.** EMA. Enterprise Management Architecture. Digital Equipment Corporation network management architecture, ...  
[www.comm-sult.com/tg\\_folder/TelGlosE.htm](http://www.comm-sult.com/tg_folder/TelGlosE.htm) - 26k - [Cached](#) - [Similar pages](#)

[10.10.5 \[E\]](#) - [ [Translate this page](#) ]

ELMI, **Enhanced Local Management Interface**, Улучшенный интерфейс локального управления. ELMS, Extended Lan Management Software, Программное обеспечение для ...  
[book.itep.ru/10/abbr/e.htm](http://book.itep.ru/10/abbr/e.htm) - 33k - [Cached](#) - [Similar pages](#)

[10.10.5 \[E\]](#) - [ [Translate this page](#) ]

**Enhanced Local Management Interface.** Улучшенный интерфейс локального управления. ELMS. Extended Lan Management Software ...  
[mirrors.smtn.stavropol.ru/book/10/abbr/e.htm](http://mirrors.smtn.stavropol.ru/book/10/abbr/e.htm) - 50k - [Cached](#) - [Similar pages](#)

[KINX-IDC // \(주\)케이아이 엔엑스](#) - [ [Translate this page](#) ]

Enhanced Local Management Interface(향상된 로컬 관리 인터페이스)의 약어.  
[EMA] 1. Enterprise Management Architecture(엔터프라이즈 관리 아키텍처)의 약어.

...

[www.kinx-idc.net/support/network\\_dictionary.asp?page=11&strSearchText=oc&strSection=A](http://www.kinx-idc.net/support/network_dictionary.asp?page=11&strSearchText=oc&strSection=A) - 25k - [Cached](#) - [Similar pages](#)

[KINX-IDC // \(주\)케이아이 엔엑스](#) - [ [Translate this page](#) ]

Enhanced Local Management Interface(향상된 로컬 관리 인터페이스)의 약어.  
[encapsulation bridging(캡슐화 브리징)] 시리얼 라인이나 FDDI 라인과 같은 전혀 다른

...

[www.kinx-idc.net/support/network\\_dictionary.asp?page=19&strSearchText=ca&strSection=A](http://www.kinx-idc.net/support/network_dictionary.asp?page=19&strSearchText=ca&strSection=A) - 27k - [Cached](#) - [Similar pages](#)  
[ More results from [www.kinx-idc.net](http://www.kinx-idc.net) ]

[ELMI - Definitions from Dictionary.com](#)

**Enhanced Local Management Interface.** The American Heritage® Abbreviations Dictionary, Third Edition Copyright © 2005 by Houghton Mifflin Company. ...  
[dictionary.reference.com/browse/ELMI](http://dictionary.reference.com/browse/ELMI) - 17k - [Cached](#) - [Similar pages](#)